

Tabular data

**Table 1: Number of survey participants by mortality follow-up
eligibility status and NDI match status: NHIS 1986-2000 survey years**

Survey Year	Sample Total	Eligibility Status			NDI Match Status	
		Eligible	Ineligible, under 18	Ineligible, insufficient data	Potential match record available	Assumed Deceased
1986 ¹	62,052	43,837	17,393	822	15,181	8,492
1987	122,859	86,653	34,625	1,581	28,912	15,776
1988	122,310	86,851	33,945	1,514	28,085	14,695
1989	116,929	83,064	32,357	1,508	26,360	12,956
1990	119,631	85,090	33,243	1,298	26,101	12,061
1991	120,032	84,763	33,668	1,601	25,256	11,014
1992 ²	128,412	89,903	36,541	1,968	26,026	10,596
1993	109,671	77,439	30,512	1,720	20,022	8,130
1994	116,179	81,486	32,460	2,233	20,490	7,911
1995	102,467	70,963	29,711	1,793	17,225	5,762
1996	63,402	43,892	18,128	1,382	10,542	3,004
1997	103,477	67,764	29,792	5,921	15,902	4,007
1998	98,785	63,082	28,122	7,581	14,400	3,009
1999	97,059	62,137	27,271	7,651	12,929	2,192
2000	100,618	64,267	28,495	7,856	11,398	1,531

¹ The 1986 and 1996 NHIS was fielded with a one-half sample.

² In 1992 the NHIS oversampled Hispanics yielding about 7,000 more persons in the survey than in other years.

Tabular data

Table 2: Number of 'Assumed' Deaths by Year of Death: NHIS 1986-2000 survey years¹

Year of Death	Survey Year														
	1986 ²	1987	1988	1989	1990	1991	1992 ³	1993	1994	1995	1996	1997	1998	1999	2000
1986	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	414	389	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	493	847	377	-	-	-	-	-	-	-	-	-	-	-	-
1989	495	946	870	364	-	-	-	-	-	-	-	-	-	-	-
1990	515	915	905	793	344	-	-	-	-	-	-	-	-	-	-
1991	476	961	915	841	812	333	-	-	-	-	-	-	-	-	-
1992	502	944	907	905	898	795	396	-	-	-	-	-	-	-	-
1993	555	982	1,060	961	949	877	900	306	-	-	-	-	-	-	-
1994	535	1,095	1,049	911	937	942	952	763	337	-	-	-	-	-	-
1995	505	1,115	1,019	991	897	982	910	803	817	307	-	-	-	-	-
1996	533	1,030	1,013	1,026	986	938	1,015	804	942	728	182	-	-	-	-
1997	526	1,024	1,043	1,007	955	958	1,011	878	894	736	393	281	-	-	-
1998	568	1,059	1,096	986	1,062	1,040	1,009	883	884	718	471	688	271	-	-
1999	532	1,045	1,156	1,089	1,041	996	1,036	849	1,000	739	484	737	631	253	-
2000	555	1,109	1,101	1,030	1,056	1,030	1,121	932	1,027	839	475	748	674	635	247
2001	570	1,152	1,090	1,048	1,069	1,052	1,038	919	977	843	505	739	706	652	641
2002	537	1,163	1,094	1,004	1,055	1,071	1,208	993	1,033	852	494	814	727	652	643
Total	8,492	15,776	14,695	12,956	12,061	11,014	10,596	8,130	7,911	5,762	3,004	4,007	3,009	2,192	1,531

¹ The total number of 'assumed' deaths for each survey year is equal to the total number of records for each survey that have a value of '1' (assumed deceased) for the variable MORTSTAT.

² The 1986 and 1996 NHIS was fielded with a one-half sample.

³ In 1992 the NHIS oversampled Hispanics yielding about 7,000 more persons in the survey than in other years.

Tabular Data

Table 3: Submission record type for eligible respondents by sex: NHIS 1986-2000 survey year

		Male						Female											
		Complete		Complete except for SSN ¹		All other		Complete including birth surname		Complete except for SSN ¹		Complete except for birth surname		Missing both SSN and birth surname		All other			
Survey Year	Total Eligible Males	Total	%	Total	%	Total	%	Total	%	Total	%	Total	%	Total	%	Total	%		
1986 ²	20,320	16,760	82.5	3,535	17.4	25	0.1	1986 ²	23,517	19,758	84.0	151	0.6	3,209	13.6	360	1.5	39	0.2
1987	39,932	32,340	81.0	7,546	18.9	46	0.1	1987	46,721	38,853	83.2	279	0.6	6,829	14.6	695	1.5	65	0.1
1988	40,101	31,417	78.3	8,616	21.5	68	0.2	1988	46,750	37,997	81.3	318	0.7	7,545	16.1	797	1.7	93	0.2
1989	38,410	29,002	75.5	9,359	24.4	49	0.1	1989	44,654	34,768	77.9	270	0.6	8,649	19.4	890	2.0	77	0.2
1990	39,366	28,959	73.6	10,366	26.3	41	0.1	1990	45,724	34,806	76.1	276	0.6	9,690	21.2	901	2.0	51	0.1
1991	39,266	27,885	71.0	11,320	28.8	61	0.2	1991	45,497	33,615	73.9	296	0.7	10,440	22.9	1,075	2.4	71	0.2
1992 ³	41,775	29,093	69.6	12,628	30.2	54	0.1	1992 ³	48,128	34,595	71.9	332	0.7	11,961	24.9	1,175	2.4	65	0.1
1993	35,988	25,987	72.2	9,957	27.7	44	0.1	1993	41,451	30,620	73.9	216	0.5	9,603	23.2	953	2.3	59	0.1
1994	37,797	27,020	71.5	10,740	28.4	37	0.1	1994	43,689	31,988	73.2	375	0.9	10,120	23.2	1,172	2.7	34	0.1
1995	32,973	22,732	68.9	10,209	31.0	32	0.1	1995	37,990	26,742	70.4	327	0.9	9,690	25.5	1,192	3.1	39	0.1
1996	20,552	13,101	63.7	7,436	36.2	15	0.1	1996	23,340	15,150	64.9	201	0.9	7,084	30.4	886	3.8	19	0.1
1997	31,559	18,736	59.4	12,302	39.0	521	1.7	1997	36,205	3,687	10.2	18,647	51.5	2,820	7.8	10,491	29.0	560	1.5
1998	29,783	15,367	51.6	13,945	46.8	471	1.6	1998	33,299	2,435	7.3	15,523	46.6	2,603	7.8	12,245	36.8	493	1.5
1999	29,231	13,837	47.3	14,881	50.9	513	1.8	1999	32,906	2,377	7.2	13,726	41.7	2,808	8.5	13,483	41.0	512	1.6
2000	30,239	13,313	44.0	16,479	54.5	447	1.5	2000	34,028	2,382	7.0	13,265	39.0	3,040	8.9	14,910	43.8	431	1.3

¹ SSN: Social Security Number

² The 1986 and 1996 NHIS were fielded with a one-half sample.

³ In 1992 the NHIS oversampled Hispanics yielding about 7,000 more persons in the survey than in other years.

¹ SSN: Social Security Number

² The 1986 and 1996 NHIS were fielded with a one-half sample.

³ In 1992 the NHIS oversampled Hispanics yielding about 7,000 more persons in the survey than in other years.

Tabular data

Table 4: Missing data for eligible respondents by sex: NHIS survey years 1986-2000

	Survey Year														
	1986 ⁴	1987	1988	1989	1990	1991	1992 ⁵	1993	1994	1995	1996	1997	1998	1999	2000
MALE															
First Name ¹	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Middle Name ^{1,2}	18.4	18.7	19.4	19.6	21.2	21.3	23.1	21.8	21.7	25.3	27.4	30.7	38.7	43.2	46.4
Last Name ¹	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.6
SSN ^{1,3}	17.4	18.9	21.5	24.4	26.3	28.8	30.2	27.8	30.1	32.3	37.4	41.6	49.5	52.8	56.4
Date of Birth ¹	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.5	1.7	1.7	1.4
Father's Surname ¹	0.6	0.8	0.7	0.8	1.0	1.2	0.9	0.7	1.0	1.1	1.2	2.2	4.3	4.7	5.9
Race	0.3	0.4	0.5	0.5	0.6	0.6	0.7	0.7	1.3	1.4	1.5	0.4	0.1	0.3	0.0
Marital Status	0.2	0.3	0.3	0.3	0.4	0.4	0.5	0.4	0.5	0.6	0.7	0.4	0.3	0.3	0.2
Sex	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
State of Birth	1.1	1.3	1.3	1.1	1.2	1.2	1.2	1.0	1.2	1.4	1.5	0.6	0.6	0.6	0.2
State of Residence	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.7	0.0	0.0	0.0	0.0
Female															
First Name 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Middle Name ^{1,2}	18.9	18.7	20.2	19.9	21.3	21.8	23.4	22.5	22.7	25.5	27.5	30.5	38.6	44.7	46.3
Last Name ¹	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
SSN ^{1,3}	15.2	16.1	17.8	21.4	23.2	25.3	27.3	25.7	27.8	30.3	35.6	39.6	47.5	51.4	54.9
Date of Birth ¹	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	1.5	1.2
Father's Surname ¹	0.8	0.8	0.9	1.0	1.0	1.1	0.9	0.7	1.1	1.2	1.3	81.3	84.1	84.0	83.8
Race	0.4	0.4	0.5	0.6	0.6	0.5	0.6	0.6	1.4	1.6	1.4	0.5	0.1	0.2	0.0
Marital Status	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.4	0.6	0.6	0.7	0.4	0.3	0.2	0.2
Sex	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
State of Birth	1.3	1.4	1.5	1.1	1.1	1.2	1.2	1.0	1.2	1.5	1.4	0.5	0.5	0.5	0.2
State of Residence	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0

¹ Name, SSN, Date of Birth are used to select potential match records. All variables are utilized by the probabilistic scoring algorithm.

² Blank middle initial is considered a valid code.

³ SSN: Social Security Number

⁴ The 1986 and 1996 NHIS was fielded with a one-half sample.

⁵ In 1992 the NHIS oversampled Hispanics yielding about 7,000 more persons in the survey than in other years.